

計算練習 割り算(1x1) (17) 解答

$① \quad 7 \div 4 = 1 \cdots 3$

$⑯ \quad 2 \div 1 = 2 \cdots 0$

$② \quad 4 \div 1 = 4 \cdots 0$

$⑰ \quad 1 \div 1 = 1 \cdots 0$

$③ \quad 5 \div 3 = 1 \cdots 2$

$⑱ \quad 8 \div 1 = 8 \cdots 0$

$④ \quad 8 \div 6 = 1 \cdots 2$

$⑲ \quad 5 \div 1 = 5 \cdots 0$

$⑤ \quad 1 \div 1 = 1 \cdots 0$

$⑳ \quad 1 \div 1 = 1 \cdots 0$

$⑥ \quad 2 \div 2 = 1 \cdots 0$

$㉑ \quad 2 \div 2 = 1 \cdots 0$

$⑦ \quad 3 \div 3 = 1 \cdots 0$

$㉒ \quad 1 \div 1 = 1 \cdots 0$

$⑧ \quad 9 \div 9 = 1 \cdots 0$

$㉓ \quad 4 \div 3 = 1 \cdots 1$

$⑨ \quad 4 \div 4 = 1 \cdots 0$

$㉔ \quad 2 \div 2 = 1 \cdots 0$

$⑩ \quad 4 \div 3 = 1 \cdots 1$

$㉕ \quad 6 \div 4 = 1 \cdots 2$

$⑪ \quad 9 \div 4 = 2 \cdots 1$

$㉖ \quad 2 \div 1 = 2 \cdots 0$

$⑫ \quad 1 \div 1 = 1 \cdots 0$

$㉗ \quad 3 \div 3 = 1 \cdots 0$

$⑬ \quad 4 \div 4 = 1 \cdots 0$

$㉘ \quad 9 \div 1 = 9 \cdots 0$

$⑭ \quad 2 \div 2 = 1 \cdots 0$

$㉙ \quad 2 \div 2 = 1 \cdots 0$

$⑮ \quad 6 \div 5 = 1 \cdots 1$

$㉚ \quad 7 \div 4 = 1 \cdots 3$

計算練習 割り算(1x1) (18) 解答

$① \quad 6 \div 1 = 6 \cdots 0$

$⑯ \quad 2 \div 2 = 1 \cdots 0$

$② \quad 7 \div 7 = 1 \cdots 0$

$⑰ \quad 5 \div 2 = 2 \cdots 1$

$③ \quad 5 \div 2 = 2 \cdots 1$

$⑱ \quad 7 \div 5 = 1 \cdots 2$

$④ \quad 2 \div 2 = 1 \cdots 0$

$⑲ \quad 9 \div 1 = 9 \cdots 0$

$⑤ \quad 6 \div 1 = 6 \cdots 0$

$⑳ \quad 6 \div 4 = 1 \cdots 2$

$⑥ \quad 4 \div 2 = 2 \cdots 0$

$㉑ \quad 1 \div 1 = 1 \cdots 0$

$⑦ \quad 7 \div 5 = 1 \cdots 2$

$㉒ \quad 3 \div 2 = 1 \cdots 1$

$⑧ \quad 4 \div 1 = 4 \cdots 0$

$㉓ \quad 2 \div 2 = 1 \cdots 0$

$⑨ \quad 8 \div 4 = 2 \cdots 0$

$㉔ \quad 7 \div 1 = 7 \cdots 0$

$⑩ \quad 2 \div 2 = 1 \cdots 0$

$㉕ \quad 7 \div 1 = 7 \cdots 0$

$⑪ \quad 1 \div 1 = 1 \cdots 0$

$㉖ \quad 4 \div 3 = 1 \cdots 1$

$⑫ \quad 6 \div 5 = 1 \cdots 1$

$㉗ \quad 3 \div 1 = 3 \cdots 0$

$⑬ \quad 6 \div 4 = 1 \cdots 2$

$㉘ \quad 4 \div 3 = 1 \cdots 1$

$⑭ \quad 1 \div 1 = 1 \cdots 0$

$㉙ \quad 1 \div 1 = 1 \cdots 0$

$⑮ \quad 5 \div 3 = 1 \cdots 2$

$㉚ \quad 8 \div 1 = 8 \cdots 0$

計算練習 割り算(1x1) (19) 解答

- ① $3 \div 2 = 1 \cdots 1$ ⑩⑥ $3 \div 1 = 3 \cdots 0$
- ② $7 \div 1 = 7 \cdots 0$ ⑩⑦ $1 \div 1 = 1 \cdots 0$
- ③ $5 \div 1 = 5 \cdots 0$ ⑩⑧ $4 \div 4 = 1 \cdots 0$
- ④ $4 \div 1 = 4 \cdots 0$ ⑩⑨ $3 \div 3 = 1 \cdots 0$
- ⑤ $7 \div 6 = 1 \cdots 1$ ⑩⑩ $4 \div 2 = 2 \cdots 0$
- ⑥ $6 \div 2 = 3 \cdots 0$ ⑩⑪ $6 \div 6 = 1 \cdots 0$
- ⑦ $6 \div 4 = 1 \cdots 2$ ⑩⑫ $1 \div 1 = 1 \cdots 0$
- ⑧ $1 \div 1 = 1 \cdots 0$ ⑩⑬ $2 \div 1 = 2 \cdots 0$
- ⑨ $6 \div 1 = 6 \cdots 0$ ⑩⑭ $8 \div 5 = 1 \cdots 3$
- ⑩ $3 \div 2 = 1 \cdots 1$ ⑩⑮ $8 \div 8 = 1 \cdots 0$
- ⑪ $2 \div 2 = 1 \cdots 0$ ⑩⑯ $7 \div 2 = 3 \cdots 1$
- ⑫ $7 \div 7 = 1 \cdots 0$ ⑩⑰ $6 \div 3 = 2 \cdots 0$
- ⑬ $3 \div 3 = 1 \cdots 0$ ⑩⑱ $7 \div 5 = 1 \cdots 2$
- ⑭ $8 \div 5 = 1 \cdots 3$ ⑩⑲ $8 \div 4 = 2 \cdots 0$
- ⑮ $6 \div 2 = 3 \cdots 0$ ⑩⑳ $2 \div 2 = 1 \cdots 0$

計算練習 割り算(1x1) (20) 解答

$① \quad 3 \div 1 = 3 \cdots 0$

$⑯ \quad 5 \div 2 = 2 \cdots 1$

$② \quad 7 \div 3 = 2 \cdots 1$

$⑰ \quad 1 \div 1 = 1 \cdots 0$

$③ \quad 1 \div 1 = 1 \cdots 0$

$⑱ \quad 2 \div 2 = 1 \cdots 0$

$④ \quad 3 \div 3 = 1 \cdots 0$

$⑲ \quad 2 \div 2 = 1 \cdots 0$

$⑤ \quad 3 \div 2 = 1 \cdots 1$

$⑳ \quad 5 \div 5 = 1 \cdots 0$

$⑥ \quad 4 \div 1 = 4 \cdots 0$

$㉑ \quad 5 \div 2 = 2 \cdots 1$

$⑦ \quad 9 \div 1 = 9 \cdots 0$

$㉒ \quad 1 \div 1 = 1 \cdots 0$

$⑧ \quad 2 \div 1 = 2 \cdots 0$

$㉓ \quad 5 \div 3 = 1 \cdots 2$

$⑨ \quad 1 \div 1 = 1 \cdots 0$

$㉔ \quad 7 \div 3 = 2 \cdots 1$

$⑩ \quad 9 \div 7 = 1 \cdots 2$

$㉕ \quad 7 \div 6 = 1 \cdots 1$

$⑪ \quad 6 \div 4 = 1 \cdots 2$

$㉖ \quad 1 \div 1 = 1 \cdots 0$

$⑫ \quad 2 \div 1 = 2 \cdots 0$

$㉗ \quad 6 \div 6 = 1 \cdots 0$

$⑬ \quad 1 \div 1 = 1 \cdots 0$

$㉘ \quad 3 \div 3 = 1 \cdots 0$

$⑭ \quad 1 \div 1 = 1 \cdots 0$

$㉙ \quad 6 \div 6 = 1 \cdots 0$

$⑮ \quad 4 \div 4 = 1 \cdots 0$

$㉚ \quad 6 \div 6 = 1 \cdots 0$

計算練習 割り算(1x1) (21) 解答

- ① $9 \div 8 = 1 \cdots 1$ ⑩⑥ $3 \div 2 = 1 \cdots 1$
- ② $2 \div 1 = 2 \cdots 0$ ⑩⑦ $4 \div 2 = 2 \cdots 0$
- ③ $8 \div 8 = 1 \cdots 0$ ⑩⑧ $7 \div 2 = 3 \cdots 1$
- ④ $4 \div 3 = 1 \cdots 1$ ⑩⑨ $4 \div 4 = 1 \cdots 0$
- ⑤ $5 \div 1 = 5 \cdots 0$ ⑩⑩ $7 \div 5 = 1 \cdots 2$
- ⑥ $5 \div 4 = 1 \cdots 1$ ⑩⑪ $8 \div 6 = 1 \cdots 2$
- ⑦ $4 \div 4 = 1 \cdots 0$ ⑩⑫ $9 \div 2 = 4 \cdots 1$
- ⑧ $4 \div 3 = 1 \cdots 1$ ⑩⑬ $1 \div 1 = 1 \cdots 0$
- ⑨ $3 \div 3 = 1 \cdots 0$ ⑩⑭ $7 \div 2 = 3 \cdots 1$
- ⑩ $5 \div 5 = 1 \cdots 0$ ⑩⑮ $2 \div 1 = 2 \cdots 0$
- ⑪ $3 \div 1 = 3 \cdots 0$ ⑩⑯ $7 \div 3 = 2 \cdots 1$
- ⑫ $3 \div 2 = 1 \cdots 1$ ⑩⑰ $4 \div 2 = 2 \cdots 0$
- ⑬ $6 \div 2 = 3 \cdots 0$ ⑩⑱ $7 \div 7 = 1 \cdots 0$
- ⑭ $9 \div 6 = 1 \cdots 3$ ⑩⑲ $6 \div 4 = 1 \cdots 2$
- ⑮ $5 \div 2 = 2 \cdots 1$ ⑩⑳ $2 \div 1 = 2 \cdots 0$

計算練習 割り算(1x1) (22) 解答

$$\textcircled{1} \quad 1 \div 1 = 1 \cdots 0$$

$$\textcircled{2} \quad 7 \div 7 = 1 \cdots 0$$

$$\textcircled{3} \quad 4 \div 1 = 4 \cdots 0$$

$$\textcircled{4} \quad 9 \div 3 = 3 \cdots 0$$

$$\textcircled{5} \quad 6 \div 1 = 6 \cdots 0$$

$$\textcircled{6} \quad 9 \div 3 = 3 \cdots 0$$

$$\textcircled{7} \quad 3 \div 2 = 1 \cdots 1$$

$$\textcircled{8} \quad 5 \div 3 = 1 \cdots 2$$

$$\textcircled{9} \quad 1 \div 1 = 1 \cdots 0$$

$$\textcircled{10} \quad 8 \div 3 = 2 \cdots 2$$

$$\textcircled{11} \quad 3 \div 2 = 1 \cdots 1$$

$$\textcircled{12} \quad 6 \div 5 = 1 \cdots 1$$

$$\textcircled{13} \quad 3 \div 3 = 1 \cdots 0$$

$$\textcircled{14} \quad 2 \div 1 = 2 \cdots 0$$

$$\textcircled{15} \quad 4 \div 3 = 1 \cdots 1$$

$$\textcircled{16} \quad 2 \div 2 = 1 \cdots 0$$

$$\textcircled{17} \quad 5 \div 4 = 1 \cdots 1$$

$$\textcircled{18} \quad 8 \div 6 = 1 \cdots 2$$

$$\textcircled{19} \quad 3 \div 1 = 3 \cdots 0$$

$$\textcircled{20} \quad 5 \div 3 = 1 \cdots 2$$

$$\textcircled{21} \quad 4 \div 2 = 2 \cdots 0$$

$$\textcircled{22} \quad 3 \div 3 = 1 \cdots 0$$

$$\textcircled{23} \quad 3 \div 3 = 1 \cdots 0$$

$$\textcircled{24} \quad 1 \div 1 = 1 \cdots 0$$

$$\textcircled{25} \quad 7 \div 1 = 7 \cdots 0$$

$$\textcircled{26} \quad 5 \div 1 = 5 \cdots 0$$

$$\textcircled{27} \quad 2 \div 2 = 1 \cdots 0$$

$$\textcircled{28} \quad 4 \div 2 = 2 \cdots 0$$

$$\textcircled{29} \quad 4 \div 4 = 1 \cdots 0$$

$$\textcircled{30} \quad 5 \div 3 = 1 \cdots 2$$

計算練習 割り算(1x1) (23) 解答

$① \quad 1 \div 1 = 1 \cdots 0$

$② \quad 1 \div 1 = 1 \cdots 0$

$③ \quad 6 \div 5 = 1 \cdots 1$

$④ \quad 3 \div 1 = 3 \cdots 0$

$⑤ \quad 8 \div 1 = 8 \cdots 0$

$⑥ \quad 8 \div 4 = 2 \cdots 0$

$⑦ \quad 1 \div 1 = 1 \cdots 0$

$⑧ \quad 5 \div 5 = 1 \cdots 0$

$⑨ \quad 6 \div 2 = 3 \cdots 0$

$⑩ \quad 9 \div 3 = 3 \cdots 0$

$⑪ \quad 9 \div 9 = 1 \cdots 0$

$⑫ \quad 5 \div 1 = 5 \cdots 0$

$⑬ \quad 8 \div 8 = 1 \cdots 0$

$⑭ \quad 6 \div 2 = 3 \cdots 0$

$⑮ \quad 3 \div 2 = 1 \cdots 1$

$⑯ \quad 2 \div 1 = 2 \cdots 0$

$⑰ \quad 6 \div 4 = 1 \cdots 2$

$⑱ \quad 7 \div 6 = 1 \cdots 1$

$⑲ \quad 9 \div 3 = 3 \cdots 0$

$⑳ \quad 9 \div 4 = 2 \cdots 1$

$\textcircled{21} \quad 8 \div 8 = 1 \cdots 0$

$\textcircled{22} \quad 5 \div 2 = 2 \cdots 1$

$\textcircled{23} \quad 2 \div 2 = 1 \cdots 0$

$\textcircled{24} \quad 7 \div 3 = 2 \cdots 1$

$\textcircled{25} \quad 1 \div 1 = 1 \cdots 0$

$\textcircled{26} \quad 2 \div 2 = 1 \cdots 0$

$\textcircled{27} \quad 7 \div 1 = 7 \cdots 0$

$\textcircled{28} \quad 5 \div 3 = 1 \cdots 2$

$\textcircled{29} \quad 6 \div 3 = 2 \cdots 0$

$\textcircled{30} \quad 9 \div 8 = 1 \cdots 1$

計算練習 割り算(1x1) (24) 解答

$① \quad 1 \div 1 = 1 \cdots 0$

$② \quad 8 \div 3 = 2 \cdots 2$

$③ \quad 5 \div 5 = 1 \cdots 0$

$④ \quad 3 \div 2 = 1 \cdots 1$

$⑤ \quad 8 \div 1 = 8 \cdots 0$

$⑥ \quad 5 \div 1 = 5 \cdots 0$

$⑦ \quad 2 \div 2 = 1 \cdots 0$

$⑧ \quad 5 \div 4 = 1 \cdots 1$

$⑨ \quad 2 \div 1 = 2 \cdots 0$

$⑩ \quad 6 \div 6 = 1 \cdots 0$

$⑪ \quad 9 \div 9 = 1 \cdots 0$

$⑫ \quad 4 \div 1 = 4 \cdots 0$

$⑬ \quad 4 \div 4 = 1 \cdots 0$

$⑭ \quad 6 \div 4 = 1 \cdots 2$

$⑮ \quad 9 \div 5 = 1 \cdots 4$

$⑯ \quad 3 \div 1 = 3 \cdots 0$

$⑰ \quad 5 \div 1 = 5 \cdots 0$

$⑱ \quad 7 \div 5 = 1 \cdots 2$

$⑲ \quad 3 \div 2 = 1 \cdots 1$

$⑳ \quad 3 \div 2 = 1 \cdots 1$

$㉑ \quad 6 \div 6 = 1 \cdots 0$

$㉒ \quad 8 \div 6 = 1 \cdots 2$

$㉓ \quad 3 \div 1 = 3 \cdots 0$

$㉔ \quad 8 \div 6 = 1 \cdots 2$

$㉕ \quad 1 \div 1 = 1 \cdots 0$

$㉖ \quad 4 \div 1 = 4 \cdots 0$

$㉗ \quad 9 \div 4 = 2 \cdots 1$

$㉘ \quad 4 \div 2 = 2 \cdots 0$

$㉙ \quad 2 \div 2 = 1 \cdots 0$

$㉚ \quad 1 \div 1 = 1 \cdots 0$